

AD A031513

12

RESEARCH ON MOLECULAR LASERS

SEMI-ANNUAL REPORT


1 June, 1976

Cornell University
Ithaca, N.Y. 14853

Sponsored by:

Advanced Research Projects Agency
ARPA Order No. 2062

Contract No. N00014-67-A-0077-0006



DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Cornell University Ithaca, NY 14853		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP N/A	
3. REPORT TITLE Study of Molecular Lasers.			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Annual Report 1975			
5. AUTHOR(S) (Last name, first name, initial) George J. Wolga ↓ Ross A. McFarlane Simon H. Bauer Terrill A. Cool			
6. REPORT DATE 1 June 1976		7a. TOTAL NO. OF PAGES 5	7b. NO. OF REFS 2
8a. CONTRACT OR GRANT NO. N00014-67-A-0077-0006 PROJECT NO. ✓ ARPA Order-2462		9a. ORIGINATOR'S REPORT NUMBER(S) N/A	
d.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) N/A	
10. AVAILABILITY/LIMITATION NOTICES			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Office of Naval Research	
13. ABSTRACT Research concerning molecular and chemical lasers was conducted in the following areas: <ol style="list-style-type: none">1. Deactivation of molecular vibrational energy by atoms.2. Metal atom laser systems.3. V-R energy transfer in HF.4. Low temperature vibrational energy transfer in H₂-HCl and H₂-D₂ systems.5. Vibrational deactivation of CO by O and H and Br₂ and of CO₂ by Br₂.6. Laser ignited chemical laser systems containing boron.			

DD FORM 1473

098 550 LB

UNCLASSIFIED
Security Classification

11 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Vibrational relaxation Energy Transfer Electronically excited atoms and molecules						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet should be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (R).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

SEMI-ANNUAL REPORT

Reporting Period

1 October 1975 - 1 May 1976

1. ARPA Order Number	2062
2. Program Code Number	3E20
3. Name of Contractor	Cornell University
4. Effective Date of Contract	1 October 1968
5. Contract Expiration Date	30 September 1976
6. Amount of Contract for Current Period	\$90,000
7. Contract Number	N00014-76-C-0426
8. Principal Investigator	Professor G. J. Wolga
9. Telephone Number	(607)-256-3962
10. Project Scientists	Professor S. H. Bauer (607)-256-4028 Professor T. A. Cool (607)-256-4191 Professor R. A. McFarlane (607)-256-4075
11. Title of Work	RESEARCH ON MOLECULAR LASERS

Sponsored by

ADVANCED RESEARCH PROJECTS AGENCY

ARPA Order No. 2062

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Advanced Research Projects Agency or the U.S. Government.

SEARCHED	INDEXED
SERIALIZED	FILED
OCT 10 1975	
FBI - NEW YORK	
HARRIS	

File in file

Technical Report Summary

→ This report describes research conducted at Cornell University on molecular and chemical laser systems. The objective of this work has been to provide precise, quantitative information concerning: the rates with which vibrational and rotational molecular energy in important laser molecules is transferred to other molecules, redistributed among the degrees of freedom of the same molecule or relaxed by collisions with molecules or atoms; the temperature dependence of these rates; conditions for rapidly generating high densities of electronically and/or vibrationally excited boron containing diatomics and triatomics; the rates of reaction between various boron hydrides and oxidizers to provide kinetic information relevant to new laser systems; homogeneous chemical reaction initiation by means of laser induced gas heating.

The methodology employed consisted of laboratory experiments utilizing: laser induced fluorescence measurements; quantitative EPR determination of atom concentrations; optical double resonance experiments; laser heating with high energy ~~CO₂~~ laser pulses coupled with chemiluminescence spectroscopy. *carbon dioxide*

Specific technical results obtained were: *as follows: --*

1. (a) A new method for obtaining temperature dependent rates for atom deactivation of molecular vibration was devised, and
- (b) 2. Preliminary experimental results for laser ignited homogeneous chemical reactions of interest to high frequency lasers are described.

- a -

Professor G. J. Wolga

Deactivation of Molecular Vibrational Energy by Atoms

The primary emphasis of our work during the present reporting period was in the development of an experimental method for studying the deactivation of molecular vibrational energy by atoms at low temperatures. The method we used previously would not work well at low temperatures because the EPR cavity cannot be cooled and thus a temperature gradient would exist between the laser fluorescence cell (at low temperature) and the EPR cavity (at room temperature). Although corrections resulting from the temperature gradient could be estimated we felt that a more accurate method should be devised.

We now feel that such measurements can be made successfully by combining gas phase titration (with an appropriate fast chemical reaction) to determine the atom concentration with resonance fluorescence to obtain an accurate end point determination. EPR can be used to calibrate the method at room temperature.

We shall try this method on the $\text{H} + \text{HCl}^+(\text{v})$ system during the next reporting period.

Professor T. A. Cool

Metal Atom Laser Systems

During the past 6 months work has been completed on our investigations of new metal atom laser systems. Forty new laser transitions were observed at wavelengths from 1.152 to 14.542 μ in As, Bi, Cd, Fe, Ga, Ge, Hg, In, Ni, Pb, Sb, Se, Si, Sn, Te, Tl, V, and Zn. The results for half of these new lasers were published in J. Appl. Phys 47, 1055 (1976); the remaining data will be presented in a second paper to be submitted to the Journal of Applied Physics.

V \rightarrow R Energy Transfer

Computer calculations of R \rightarrow R and V \rightarrow R energy transfer in HF have been performed with use of the Polanyi-Woodall relaxation model. These calculations have been useful in the interpretation of our experimental difficulties in the measurement of V \rightarrow R energy transfer in HF.

Low Temperature Vibrational Energy Transfer

Vibrational energy transfer studies have been carried out for the H₂-HCl and H₂-D₂ systems at low temperatures (220-450°K). The results of this work will appear in an early issue of Chemical Physics Letters.

Professor R. A. McFarlane

Quenching of Vibrationally Excited Carbon Monoxide
by Atomic Oxygen and Atomic Hydrogen

Measurements have been continued on the temperature dependence of the second order quenching rate constant for the deactivation of vibrationally excited CO molecules by oxygen atoms. Data in addition to the measurements reported in the last annual report have been obtained and provide confirmation of the temperature dependence already indicated.

Studies have begun on quenching by atomic hydrogen and an initial set of measurements is being analysed. Some difficulty with asymmetric EPR atom line shapes is giving rise to an uncertainty in the determination of atom densities. It is expected that this will limit the accuracy of the measurement to within a factor of two until the source of the asymmetry can be established and corrected.

Quenching of Vibrationally Excited Carbon Monoxide
and Vibrationally Excited Carbon Dioxide by Molecular Bromine

The present interest in the pumping of CO and CO₂ lasers by E→V energy transfer from excited halogen atoms prompted a set of measurements on the vibrational deactivation of these molecules by molecular Bromine. This experiment used a static fluorescence cell and excited CO at 4.8μ and CO₂ at 10.6μ. Fluorescence traces at varying Br₂ pressures are being analysed and the second order quenching rate data will be available shortly for observations at room temperature.

Professor S. H. Bauer

Laser Ignited Chemical Laser Systems

As noted in our annual report (1 November 1975) emission spectra from laser ignited mixtures of $B_2H_6/SF_6/N_2O$ (or other oxidizers) were recorded. Their intensity levels, referred to a black body at $4050^\circ K$, indicated that approximately 1 photon per 7 boron atoms were generated during the rapid combustion, following initiation by a $20J/CO_2$ laser pulse. During the past half year we obtained extensive time-intensity data with the 14 channel spectrophotometer (resolution per channel approximately 70 \AA) to determine optimum concentrations of reagents. The following general trends were observed:

(i) BO^* , S_2^* emissions increase with $p(N_2O)$, up to 100 torr.

(ii) $CuF^*(A,B,C \rightarrow X)$ and $Cu(I)$ rise with $p(N_2O)$ up to approximately 60 torr, and then level off.

(The Cu impurity comes from the cell walls, or is deliberately inserted.)

(iii) $BO_2^*(\lambda 5200)$ levels off at ~ 40 torr of N_2O .

(iv) All emissions peak at $p(SF_6) \sim 30-40$ torr.

A substantial enhancement of the CuF^* emissions was achieved by adding several torr NF_3 to the $B_2H_6/SF_6/N_2O$ mixtures. With NF_3 the high intensities appeared later in time, rising from about $40 \mu s$ following initiation and continue up through $200 \mu s$. Further studies with NF_3 are indicated.

Our shop has completed construction of a small laser for tests in the visible. The contents of the 10" cell will be ignited by sidewise incidence of four appropriately directed CO_2 laser beams. The alignment has been completed and the tests will be made shortly. In our first search we will concentrate on emissions from S_2^* .